L	Hits	Search Text	DB	Time stamp
Numker				
-	72	(("(5734828") or ("6021262") or ("5819272")	USPAT;	2003/05/03
	1	or ("5961610") or ("6226644") or	US-PGPUB;	09:29
		("6226644") or ("6292830") or ("5915113")	EPO; JPO	
		or ("5926481") or ("4949248") or		
		("5568616") or ("6233620") or ("6292933")		
		or ("6304893") or ("6336135") or		
		("5636376") or ("5675798") or ("5539909")		
		or ("5890163") or ("5973696") or		
		("6035343") or ("6282702") or ("5944783")		
		or ("5918039") or ("5313581") or		
		("5408602") or ("6253193") or ("6226659")		
		or ("6226659") or ("5828840") or	Ì	
		("6163797") or ("5793970") or ("6052710")		
		or ("5509010") or ("5831612") or		
		("5950002") or ("5555396") or ("5781530")		
		or ("5446898") or ("5465357") or		
		("5481709") or ("5495611") or ("5864669")		
		or ("6065041") or ("5940075") or		
		("5293619") or ("5634010") or ("5802514")		
		or ("5812779") or ("5963202)")).PN.		
-	0	((("(5734828") or ("6021262") or ("5819272")	USPAT;	2002/02/08
		or ("5961610") or ("6226644") or	US-PGPUB;	14:43
		("6226644") or ("6292830") or ("5915113")	EPO; JPO	
		or ("5926481") or ("4949248") or		
		("5568616") or ("6233620") or ("6292933")		
		or ("6304893") or ("6336135") or		
		("5636376") or ("5675798") or ("5539909")		
		or ("5890163") or ("5973696") or		
		("6035343") or ("6282702") or ("5944783")		
		or ("5918039") or ("5313581") or		
		("5408602") or ("6253193") or ("6226659")		
		or ("6226659") or ("5828840") or		
		("6163797") or ("5793970") or ("6052710")		
		or ("5509010") or ("5831612") or		
		("5950002") or ("5555396") or ("5781530")		
		or ("5446898") or ("5465357") or		
	1	("5481709") or ("5495611") or ("5864669")		
		or ("6065041") or ("5940075") or		
		("5293619") or ("5634010") or ("5802514")		
		or ("5812779") or ("5963202)")).PN.) and		
		(client adj processing) and (definition and		
		(state adj change) and command) and		
	467698	message definition or (state adj change) or command	USPAT;	2003/05/01
_	701030	acimicion or (state auj change) or command	USPAT; US-PGPUB;	2003/03/01 07:06
1			EPO; JPO	07100
	2846	message adj processing	USPAT;	2002/02/08
			US-PGPUB;	14:46
			_EPO;-JPO	
L				

•	21150	client and server	USPAT;	2002/02/08
·			US-PGPUB;	14:46
			EPO; JPO	
-	340	(definition or (state adj change) or	USPAT;	2003/05/03
		command) and (message adj processing)	US-PGPUB;	10:22
		and (client and server)	EPO; JPO	
-	2	(((definition or (state adj change) or	USPAT;	2002/02/08
		command) and (message adj processing)	US-PGPUB;	14:51
		and (client and server)) and application)	EPO; JPO	
		and (receiv\$ adj message) and (remote adj	·	
		device)		
-	325	((definition or (state adj change) or	USPAT;	2002/02/08
		command) and (message adj processing)	US-PGPUB;	15:15
		and (client and server)) and application	EPO; JPO	10110
_	238	header and definition? and (state adj	USPAT;	2002/02/15
-		change?) and command?	US-PGPUB;	14:38
		Change i y and Command.	EPO; JPO	14.00
	11	(((definition or (state adj change) or	USPAT;	2002/02/14
-	''	,	US-PGPUB;	15:26
		command) and (message adj processing)	•	15:26
		and (client and server)) and application)	EPO; JPO	
		and (header and definition? and (state adj		
	207	change?) and command?)	HODAT	0000/00/45
-	327	(definition or (state adj change) or	USPAT;	2002/02/15
		command) and (message adj processing)	US-PGPUB;	14:32
		and (client and server) and application	EPO; JPO	
-	29	((definition or (state adj change) or	USPAT;	2002/07/15
		command) and (message adj processing)	US-PGPUB;	07:34
		and (client and server) and application) and	EPO; JPO	
		709/219		
-	6889	gui	USPAT;	2002/02/15
			US-PGPUB;	14:32
			EPO; JPO	
-	327	(definition or (state adj change) or	USPAT;	2002/02/15
		command) and (message adj processing)	US-PGPUB;	14:37
		and (client and server) and application	EPO; JPO	
-	21312	client and server	USPAT;	2002/02/17
			US-PGPUB;	16:37
			EPO; JPO	
-	76	gui and ((definition or (state adj change) or	USPAT;	2002/02/15
		command) and (message adj processing)	US-PGPUB;	14:39
		and (client and server) and application) and	EPO; JPO	
		(client and server)		
-	1660	(definition or (state adj change) or	USPAT;	2002/02/15
	1	command) and (message adj processing)	US-PGPUB;	14:50
			EPO; JPO	
-	239	header and definition? and (state adj	USPAT;	2002/02/15
		change?) and command?	US-PGPUB;	14:38
			EPO; JPO	
-	23	gui and (header and definition? and (state	USPAT;	2002/02/15
	1	•	•	· —
		adj change?) and command?) and (client	US-PGPUB;	14:44
		adj changer) and commandr) and (client _and_server)_and_(header-and-definition?-and	-EPO; JPO	14:44

-	232495	arc	USPAT;	2002/02/17
-62			US-PGPUB;	16:37
			EPO; JPO	
-	1	(gui and (header and definition? and (state	USPAT;	2002/02/15
		adj change?) and command?) and (client	US-PGPUB;	15:11
		and server) and (header and definition? and	EPO; JPO	
		(state adj change?) and command?)) and		
		arc		
-	83	(definition and (state adj change) and	USPAT;	2002/02/15
		command) and (message adj processing)	US-PGPUB;	15:11
			EPO; JPO	
-	2	(("6088717") or ("6044205")).PN.	USPAT;	2002/02/15
			US-PGPUB;	14:58
		•	EPO; JPO	
-	2	((definition and (state adj change) and	USPAT;	2002/02/15
1		command) and (message adj processing))	US-PGPUB;	15:11
1		and 709/219	EPO; JPO	
-	232495	arc	USPAT;	2002/02/17
			US-PGPUB;	16:37
			EPO; JPO	
-	21312	client and server	USPAT;	2002/02/17
			US-PGPUB;	16:37
			EPO; JPO	
-	377	arc and (client and server)	USPAT;	2002/02/17
İ			US-PGPUB;	16:43
			EPO; JPO	
-	5	message with (header and definition and	USPAT;	2002/02/17
		(state adj change) and command)	US-PGPUB;	16:40
		-	EPO; JPO	
-	14	(arc and (client and server)) and (remote	USPAT;	2002/02/17
1		adj device)	US-PGPUB;	16:44
1			EPO; JPO	
-	1	("6212560").PN.	USPAT;	2002/07/11
			US-PGPUB;	13:43
			EPO; JPO	
-	1	("6044382").PN.	USPAT;	2002/07/11
			US-PGPUB;	13:44
			EPO; JPO	
-	30	("4591662" "4598171" "4689478"	USPAT	2002/07/12
		"4776016" "4813013" "4835372"		15:04
		"4851999" "4858121" "4860342"		
		"4937439" "4972462" "4984155"		
		"4991199" "5008927" "5047960"		
		"5189632" "5195086" "5195130"	1	1
		"5204813" "5278751" "5301105"		
		"5333266" "5351076" "5365577"		
		"5410646" "5416831" "5572421"		
		"5704029" "5757655" "5805676").PN.		
-	0	(("6212560").PN.) and message and form	USPAT;	2002/07/11
		and before and command and definition and	US-PGPUB;	13:46
		key and menu and button and GUI	-EPO; JPO	

-	0	(("4591662" "4598171" "4689478"	USPAT;	2002/07/11
		-"4776016" -"4813013" -"4835372"	US-PGPUB;	13:46
		"4851999" "4858121" "4860342"	EPO; JPO	
		"4937439" "4972462" "4984155"		
		"4991199" "5008927" "5047960"		
		"5189632" "5195086" "5195130"		
		"5204813" "5278751" "5301105"		
		"5333266" "5351076" "5365577"		
		"5410646" "5416831" "5572421"		
		"5704029" "5757655" "5805676").PN.)		
		and message and form and before and		:
		command and definition and key and menu		
		and button and GUI		
_	1	(("4591662" "4598171" "4689478"	USPAT:	2002/07/11
	•	"4776016" "4813013" "4835372"	US-PGPUB;	14:00
		"4851999" "4858121" "4860342"	EPO; JPO	14100
		"4937439" "4972462" "4984155"	2.0,0.0	
]		"4991199" "5008927" "5047960"		
		"5189632" "5195086" "5195130"		
		"5204813" "5278751" "5301105"		
		"5333266" "5351076" "5365577"		
		"5410646" "5416831" "5572421"		
		"5704029" "5757655" "5805676").PN.)		
ļ į		and message and form and before and		
		•		
	30	command and definition and key and menu	LIEDAT	2002/07/11
•	30	("4591662" "4598171" "4689478"	USPAT	13:49
		"4776016" "4813013" "4835372"		13:49
		"4851999" "4858121" "4860342"		
		"4937439" "4972462" "4984155"		
		"4991199" "5008927" "5047960" "5489633" W5495086" W5495430"		
		"5189632" "5195086" "5195130"		
		"5204813" "5278751" "5301105"		
		"5333266" "5351076" "5365577"		
		"5410646" "5416831" "5572421"		
		"5704029" "5757655" "5805676").PN.		
-	1	(("4591662" "4598171" "4689478"	USPAT;	2002/07/11
		"4776016" "4813013" "4835372"	US-PGPUB;	14:01
		"4851999" "4858121" "4860342"	EPO; JPO	
		"4937439" "4972462" "4984155"		,
		"4991199" "5008927" "5047960"		
		"5189632" "5195086" "5195130"		
		"5204813" "5278751" "5301105"		
		"5333266" "5351076" "5365577"		
		"5410646" "5416831" "5572421"		
ļ		"5704029" "5757655" "5805676").PN.)		
		and message and form and before and		
		command and definition and key and menu		<u> </u>

-	1	(("4591662" "4598171" "4689478"	USPAT;	2002/07/11
		_"4776016" "4813013" -"4835372"	US-PGPUB;	14:01
		"4851999" "4858121" "4860342"	EPO; JPO	
		"4937439" "4972462" "4984155"		
		"4991199" "5008927" "5047960"		-
		"5189632" "5195086" "5195130"		
		"5204813" "5278751" "5301105"		
		"5333266" "5351076" "5365577"	1	
		"5410646" "5416831" "5572421"		
		"5704029" "5757655" "5805676").PN.)		
		and message and form and command and		
		_		
	3	definition and key and menu	HEDAT.	2002/07/11
-	3	(("4591662" "4598171" "4689478"	USPAT;	
		"4776016" "4813013" "4835372"	US-PGPUB;	14:42
		"4851999" "4858121" "4860342"	EPO; JPO	
		"4937439" "4972462" "4984155"		
		"4991199" "5008927" "5047960"		
		"5189632" "5195086" "5195130"		
		"5204813" "5278751" "5301105"		
		"5333266" "5351076" "5365577"		
		"5410646" "5416831" "5572421"		
	•	"5704029" "5757655" "5805676").PN.)		
		and message and form and command and		
		definition and menu		
-	2566	709/219	USPAT;	2002/07/11
			US-PGPUB;	14:42
	1		EPO; JPO	
-	13078	(process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:16
		messageand client and server and remote	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	2031	((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:17
		messageand client and server and remote)	EPO; JPO;	
		and GUI	DERWENT;	
			IBM_TDB	
_	1846	(((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:17
		messageand client and server and remote)	EPO; JPO;	3
		and GUI) and (prior or before)	DERWENT;	
		ana con ana (prior or belore)	IBM_TDB	
	465	((((process\$3 or creat\$3) near2 form and	_	2002/07/42
-	403	command and definition and state and	USPAT;	2002/07/12
			US-PGPUB;	07:18
		messageand client and server and remote)	EPO; JPO;	
1		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)	IBM_TDB	<u> </u>

			· · · · · · · · · · · · · · · · · · ·	
•	0	(((((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		-command and definition and state and	US-PGPUB;	07:19
	1	messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message) and (recogniz\$3 near		
		dependence)		
•	249	(((((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:19
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message)		
_	201	((((((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:21
		messageand client and server and remote)	EPO; JPO;	07.21
		and GUI) and (prior or before)) and	DERWENT;	
		,	IBM_TDB	
		(select\$3 near2 option)) and (send\$3 near2	IDM_IDB	
	464	message)) and (receiv\$3 near2 message)	HEDAT.	2002/07/12
-	161	((((((((process\$3 or creat\$3) near2 form and	USPAT;	
		command and definition and state and	US-PGPUB;	07:21
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message)) and (receiv\$3 near2 message))		
		and processor		
•	23	(((((((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	08:37
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message)) and (receiv\$3 near2 message))		
-		and processor) and (updat\$3 near2 state)		
-	12	("4907283" "4955066" "4974191"	USPAT	2002/07/12
		"5530861" "5544352" "5598557"		08:13
		"5623406" "5704060" "5729730"		
		"5754712" "5764906" "5768578").PN.		
_	2	"12" and ((process\$3 or creat\$3) near2 form	USPAT;	2002/07/12
		and command and definition and state and	US-PGPUB;	08:37
		messageand client and server and remote)	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	2	("12" and ((process\$3 or creat\$3) near2	USPAT;	2002/07/12
		form and command and definition and state	US-PGPUB;	08:38
			1	V0.30
		and messageand client and server and	EPO; JPO;	
		remote)) and ((process\$3 or creat\$3) near2 form and command and definition and state	DERWENT;	
			IBM_TDB	
		and messageand client and server and		
		remote)	l	L

-	2	("12" and ((process\$3 or creat\$3) near2	USPAT;	2002/07/12
		form and command and definition and state	US-PGPUB;	08:39
		and messageand client and server and	EPO; JPO;	:
		remote)) and (((process\$3 or creat\$3) near2	DERWENT;	
		form and command and definition and state	IBM_TDB	
		and messageand client and server and		
		remote) and GUI)		
-	0	("12" and ((process\$3 or creat\$3) near2	USPAT;	2002/07/12
		form and command and definition and state	US-PGPUB;	08:39
		and messageand client and server and	EPO; JPO;	
		remote)) and ((((process\$3 or creat\$3)	DERWENT;	
		near2 form and command and definition and	IBM_TDB	
		state and messageand client and server	151.55	
		and remote) and GUI) and (prior or before))	ļ	
_	23	((((((((process\$3 or creat\$3) near2 form	USPAT;	2002/07/12
_		and command and definition and state and	US-PGPUB;	08:48
		messageand client and server and remote)	EPO; JPO;	V3:40
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		· · · · · · · · · · · · · · · · · · ·	10111_108	
		message)) and (receiv\$3 near2 message))		
		and processor) and (updat\$3 near2 state))		
		and form	HERAT	2002/27/45
-	2	((((((((process\$3 or creat\$3) near2 form	USPAT;	2002/07/12
		and command and definition and state and	US-PGPUB;	10:17
		messageand client and server and remote)	EPÖ; JPO;	•
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message)) and (receiv\$3 near2 message))		
		and processor) and (updat\$3 near2 state))		
		and 709/219		
•	62	definition and (state adj changes) and	USPAT;	2002/07/13
		command and client and server and GUI	US-PGPUB;	09:05
		and ((process\$3 or creat\$3) near2 form and	EPO; JPO;	
		command and definition and state and	DERWENT;	
		messageand client and server and remote)	IBM_TDB	
-	7	(definition and (state adj changes) and	USPAT;	2002/07/12
]	command and client and server and GUI	US-PGPUB;	10:39
		and ((process\$3 or creat\$3) near2 form and	EPO; JPO;	
		command and definition and state and	DERWENT;	
		messageand client and server and remote))	IBM_TDB	
	[[and 709/219		
-	62	(definition and (state adj changes) and	USPAT;	2002/07/12
]	command and client and server and GUI	US-PGPUB;	10:39
İ		and ((process\$3 or creat\$3) near2 form and	EPO; JPO;	
		command and definition and state and	DERWENT;	
		messageand client and server and remote))	IBM_TDB	
		and form		
-	3	(definition and (state adj changes) and	USPAT;	2002/07/12
		command and client and server and GUI	US-PGPUB;	10:39
		and ((process\$3 or creat\$3) near2 form and	EPO; JPO;	
		command_and_definition-and-state-and	-DERWENT;	
		messageand client and server and remote))	IBM_TDB	
		and (creat\$3 adj form)	· = · · · <u>-</u> ·	
	<u> </u>			

-	12	("4907283" "4955066" "4974191"	USPAT	2002/07/12
		<u>"5530861" "5544352" "5598557" </u>		12:33
		"5623406" "5704060" "5729730"		
		"5754712" "5764906" "5768578").PN.		
-	14	instant adj text	USPAT	2002/07/12
				15:09
-	1142499	message with command or state or	USPAT	2003/05/03
		definition		11:05
-	2732	message with command and state and	USPAT	2002/07/12
		definition		15:10
-	354	(message with command and state and	USPAT	2002/07/12
		definition) and client and server and		15:12
		(receiv\$3 near2 message) and (send\$3	-	
		near2 message)		:
-	3	(((message with command and state and	USPAT;	2002/07/12
		definition) and client and server and	US-PGPUB;	15:14
		(receiv\$3 near2 message) and (send\$3	EPO; JPO;	
		near2 message)) and 709/219) and	DERWENT;	
		(process\$3 near2 definition)	IBM_TDB	
-	3	(((message with command and state and	USPAT;	2002/07/12
		definition) and client and server and	US-PGPUB;	15:14
		(receiv\$3 near2 message) and (send\$3	EPO; JPO;	
		near2 message)) and 709/219) and	DERWENT;	
		(process\$3 near2 definition) and form	IBM_TDB	
-	44	((message with command and state and	USPAT	2002/07/12
		definition) and client and server and		15:16
		(receiv\$3 near2 message) and (send\$3		
		near2 message)) and 709/219	1	
-	590	definition and state and changes and	USPAT;	2002/07/13
		command and client and server and GUI	US-PGPUB;	09:09
			EPO; JPO;	
	-		DERWENT;	
			IBM_TDB	
•	43	(definition and state and changes and	USPAT;	2002/07/13
		command and client and server and GUI)	US-PGPUB;	09:46
		and (creat\$3 near2 form) and (before or	EPO; JPO	
		prior)		
-	43	(definition and state and changes and	USPAT;	2002/07/13
		command and client and server and GUI)	US-PGPUB;	09:46
		and (creat\$3 near2 form) and (before or	EPO; JPO	
		prior)		
•	11	(("5333266") or ("5410646") or ("5852825")	USPAT;	2002/07/15
		or ("5940075") or ("5973696") or	US-PGPUB;	07:36
		("5974413") or ("5978828") or ("6289378")	EPO; JPO	
		or ("6336135")).PN.		
-	3397	709/217	USPAT;	2002/12/05
			US-PGPUB;	15:48
			EPO; JPO	
-	2143	709/218	USPAT;	2002/12/05
			US-PGPUB;	16:07
	J		EPO; JPO	

-	1584	709/220	USPAT;	2002/12/05
			US-PGPUB;	15:49
			EPO; JPO	
-	1162	709/221	USPAT;	2002/12/05
			US-PGPUB;	15:49
			EPO; JPO	
-	745	709/222	USPAT;	2002/12/05
			US-PGPUB;	15:49
			EPO; JPO	
	433	709/217 and GUI	USPAT;	2002/12/05
			US-PGPUB;	
			EPO; JPO	
_	290	709/218 and GUI	USPAT;	2002/12/05
			US-PGPUB;	
			EPO; JPO	10.00
	187	709/220 and GUI	USPAT;	2002/12/05
			US-PGPUB;	Į.
			EPO; JPO	
_	147	709/221 and GUI	USPAT;	2002/12/05
	1-77	103/221 and GOI	US-PGPUB;	15:50
			EPO; JPO	15:50
_	76	709/222 and GUI	USPAT;	2002/12/05
-	'0	103/222 and GOI	US-PGPUB;	15:50
			1	15:50
	117	(700/247 and CIII) and atata and a summer	EPO; JPO	2000/40/05
-	117	(709/217 and GUI) and state and command and definition	USPAT;	2002/12/05
		and definition	US-PGPUB;	16:07
	87	(700/249 and CIII) and at-ta- and a second	EPO; JPO	0000/40/07
•	07	(709/218 and GUI) and state and command	USPAT;	2002/12/05
	-	and definition	US-PGPUB;	15:51
		(700/000 1011)	EPO; JPO	
•	55	(709/220 and GUI) and state and command	USPAT;	2002/12/05
		and definition	US-PGPUB;	15:51
		(700/004 1011)	EPO; JPO	
•	40	(709/221 and GUI) and state and command	USPAT;	2002/12/05
		and definition	US-PGPUB;	15:51
ļ			EPO; JPO	
-	21	(709/222 and GUI) and state and command	USPAT;	2002/12/05
		and definition	US-PGPUB;	15:52
		. <u></u>	EPO; JPO	
-	109	((709/217 and GUI) and state and command	USPAT;	2002/12/05
		and definition) and message	US-PGPUB;	16:07
			EPO; JPO	
•	79	((709/218 and GUI) and state and command	USPAT;	2002/12/05
		and definition) and message	US-PGPUB;	15:53
			EPO; JPO	
-	51	((709/220 and GUI) and state and command	USPAT;	2002/12/05
		and definition) and message	US-PGPUB;	15:53
			EPO; JPO	
-	35	((709/221 and GUI) and state and command	USPAT;	2002/12/05
		and definition) and message	US-PGPUB;	15:53
			EPO; JPO	

-	17	((709/222 and GUI) and state and command	USPAT;	2002/12/05
		and definition)-and-message	US-PGPUB;	15:56
		·	EPO; JPO	
•	17	(((709/222 and GUI) and state and command	USPAT;	2002/12/05
		and definition) and message) and FORM	US-PGPUB;	16:08
			EPO; JPO	
	3118	709/219	USPAT;	2002/12/05
			US-PGPUB;	16:07
		·	EPO; JPO	
-	392	709/219 and GUI	USPAT;	2002/12/05
			US-PGPUB;	16:07
			EPO; JPO	
•	103	(709/219 and GUI) and state and command	USPAT;	2002/12/05
		and definition	US-PGPUB;	16:07
			EPO; JPO	
•	94	((709/219 and GUI) and state and command	USPAT;	2002/12/05
		and definition) and message	US-PGPUB;	16:08
		_	EPO; JPO	
•	94	(((709/219 and GUI) and state and command	USPAT;	2002/12/05
		and definition) and message) and FORM	US-PGPUB;	16:08
			EPO; JPO	
-	2	(("6336135") or ("5940075")).PN.	USPAT;	2003/04/29
			US-PGPUB;	14:27
			EPO; JPO	
-	428	GUI with command and state and change	USPAT;	2003/04/29
		and form and message and remote	US-PGPUB;	14:29
		-	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	248	(GUI with command and state and change	USPAT;	2003/04/29
		and form and message and remote) and	US-PGPUB;	14:58
		definition and process\$5 and environment	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	241	((GUI with command and state and change	USPAT;	2003/04/29
		and form and message and remote) and	US-PGPUB;	14:31
		definition and process\$5 and environment)	EPO; JPO;	
		and receiv\$5	DERWENT;	
	1		IBM_TDB	
-	163	(((GUI with command and state and change	USPAT;	2003/04/29
		and form and message and remote) and	US-PGPUB;	14:33
		definition and process\$5 and environment)	EPO; JPO;	
		and receiv\$5) and recogniz\$5 and send\$5	DERWENT;	
			IBM_TDB	
-	1	((((GUI with command and state and	USPAT;	2003/04/29
		change and form and message and remote)	US-PGPUB;	14:59
		and definition and process\$5 and	EPO; JPO;	
		environment) and receiv\$5) and recogniz\$5	DERWENT;	
		and send\$5) and menu and dependence	IBM_TDB	
•	6	(("5412756") or ("6029158") or ("6029159")	USPAT;	2003/04/29
		or ("6044347") or ("6371765") or	-US-PGPUB;	14:42
		("6349290")).PN.	EPO; JPO	

			- ₁	
-	11	("4316720" "4931018" "4964803"	USPAT	2003/04/29
		- "5311422" "5791907" "5823781"		14:41
		"5853292" "6033226" "6149441"		
		"6164974" "6193519").PN.		
•	8989	cook.inv.	USPAT;	2003/04/29
			US-PGPUB;	14:43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	237	cook.inv. and donald	USPAT;	2003/04/29
			US-PGPUB;	14:43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	13	cook.inv. and donald adj0 A	USPAT;	2003/04/29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	13	cook.inv. and donald with A	USPAT;	2003/04/29
•	15	COOK.IIIV. aliu uollalu With A	US-PGPUB;	14:57
		·	EPO; JPO;	14:57
			1 '	
			DERWENT;	
	45055		IBM_TDB	0000/04/00
	45855	remedy	USPAT;	2003/04/29
			US-PGPUB;	14:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	2736	remedy and protocol	USPAT;	2003/04/29
			US-PGPUB;	14:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	175	(remedy and protocol) and GUI	USPAT;	2003/04/29
			US-PGPUB;	14:58
			EPO; JPO;	
			DERWENT;	<u> </u> -
			IBM_TDB	
,	79	((remedy and protocol) and GUI) and	USPAT;	2003/04/29
		definition and process\$5 and environment	US-PGPUB;	14:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1	13	(((remedy and protocol) and GUI) and	USPAT;	2003/04/29
		definition and process\$5 and environment)	US-PGPUB;	14:59
		and menu and dependence	EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
•	8	("5760771" "5774123" "5812134"	USPAT	2003/04/29
				15:02
			1	10.02

-	17	("5329619" "5465328" "5687373"	USPAT	2003/04/29
		-"5754772" "5835724" "5961 6 01"		15:06
		"6003085" "6012094" "6023722"		
		"6055564" "6068661" "6070197"		
	1	"6085247" "6088728" "6108689"		
		"6134592" "6216151").PN.	'	
-	0	message with (definition adj (state adj	USPAT;	2003/05/01
		change) adj command)	US-PGPUB;	07:08
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
 -	769	message with (definition and command)	USPAT;	2003/05/01
		,	US-PGPUB;	07:08
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	75	(message with (definition and command))	USPAT:	2003/05/01
	"	and (state adj change)	US-PGPUB;	09:03
		ana locate ani anange)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	75	((message with (definition and command))	USPAT;	2003/05/01
-	'3	and (state adj change)) and receiv\$5 and	US-PGPUB;	07:16
		process\$5 and perform\$5	1	07:10
		processes and performes	EPO; JPO; DERWENT;	
			IBM_TDB	
	65	(((message with (definition and command))	<u> </u>	2003/05/01
-	65	and (state adj change)) and receiv\$5 and	USPAT; US-PGPUB;	07:16
		process\$5 and perform\$5) and remote	EPO; JPO;	07:16
	ļ	processes and performes) and remote	DERWENT;	
			IBM_TDB	
	0	fill\$5 near3 (inventory adj form) with (web	USPAT;	2003/05/01
-		or online)	US-PGPUB;	09:05
		or villine)	EPO; JPO;	00.00
			DERWENT;	
			IBM_TDB	
	0	creat\$5 near3 (inventory adj form) and (web	USPAT;	2003/05/01
-		or online)	US-PGPUB;	09:08
			EPO; JPO;	5.00
			DERWENT;	
			IBM_TDB	
	1	fill\$5 near3 (inventory adj form) and (web or	USPAT;	2003/05/01
-		online)	US-PGPUB;	09:06
		omme)	EPO; JPO;	03100
			DERWENT;	
			IBM_TDB	
_	4	(fill\$5 or creat\$5 or generat\$5 or produc\$5)	USPAT;	2003/05/01
		near2 (inventory adj form) and (web or	US-PGPUB;	09:13
		online)	EPO; JPO;	V3. IJ
	1	·	DERWENT;	
			IBM_TDB	
-L			IDM_IVD	1

				
•	1	((fill\$5 or creat\$5 or generat\$5 or produc\$5)	USPAT;	2003/05/01
	-	near2 (inventory adj form) and (web or	US-PGPUB;	09:11
		online)) and definition and changes and	EPO; JPO;	
		command	DERWENT;	
			IBM_TDB	
-	181	(fill\$5 or creat\$5 or generat\$5 or produc\$5	USPAT;	2003/05/01
		or establish\$5 or program\$5 or customiz\$5)	US-PGPUB;	09:22
		near2 form and (web or online) and	EPO; JPO;	
		definition and (state adj changes) and	DERWENT;	
		command	IBM_TDB	
-	4	(fill\$5 or creat\$5 or generat\$5 or produc\$5	USPAT;	2003/05/01
		or establish\$5 or program\$5) near2	US-PGPUB;	09:22
		(inventory adj form) and (web or online)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(fill\$5 or creat\$5 or generat\$5 or produc\$5	USPAT;	2003/05/03
		or establish\$5 or program\$5 or customiz\$5)	US-PGPUB;	11:31
		near2 (inventory adj form) and (web or	EPO; JPO;	
		online)	DERWENT;	
			IBM_TDB	
-	10	("5664110" "5691864" "5715314"	USPAT	2003/05/03
		"5745681" "5758095" "5845263"		14:38
		"5848399" "5897622" "6014634"		
		"6029139").PN.		
-	6	("5630070" "5787283" "5878416"	USPAT	2003/05/01
		"5884276" "5897629" "5940816").PN.		10:20
•	1	("5940075").PN.	USPAT;	2003/05/02
			US-PGPUB;	13:48
			EPO; JPO	
•	48	(("5734828") or ("6021262") or ("5819272")	USPAT;	2003/05/03
		or ("5961610") or ("6226644") or	US-PGPUB;	09:29
		("6226644") or ("6292830") or ("5915113")	EPO; JPO	
		or ("5926481") or ("4949248") or		
		("5568616") or ("6233620") or ("6292933")		٠
		or ("6304893") or ("6336135") or		
		("5636376") or ("5675798") or ("5539909")		
		or ("5890163") or ("5973696") or		
		("6035343") or ("6282702") or ("5944783")		
		or ("5918039") or ("5313581") or		
		("5408602") or ("6253193") or ("6226659")		
		or ("6226659") or ("5828840") or		
		("6163797") or ("5793970") or ("6052710")		
		or ("5509010") or ("5831612") or		
		("5950002") or ("5555396") or ("5781530")		
		or ("5446898") or ("5465357") or		
		("5481709") or ("5495611") or ("5864669")		
		or ("6065041") or ("5940075") or		
	į.	("5293619") or ("5634010") or ("5802514")		
		or ("5812779") or ("5963202")).PN.	L	

•	6	(definition and (state adj change) and	USPAT;	2003/05/03
		-command) and (message adj processing)	US-PGPUB;	10:24
1		same (client and server) and form	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	296	message with (command and state and	USPAT;	2003/05/03
		definition)	EPO; JPO;	11:06
		,	DERWENT;	
i	:		IBM_TDB	
_	189	(message with (command and state and	USPAT;	2003/05/03
		definition)) and process\$5 and recogniz\$5	EPO; JPO;	11:08
		and depend\$5 and select\$5	DERWENT;	11133
		and depended and selected	IBM_TDB	
	187	((manage with (sommand and state and		2003/05/03
-	107	((message with (command and state and	USPAT;	
		definition)) and process\$5 and recogniz\$5	EPO; JPO;	11:09
		and depend\$5 and select\$5) and (before or	DERWENT;	
	400	prior)	IBM_TDB	0000/05/00
-	183	(((message with (command and state and	USPAT;	2003/05/03
		definition)) and process\$5 and recogniz\$5	EPO; JPO;	11:10
		and depend\$5 and select\$5) and (before or	DERWENT;	
		prior)) and FORM	IBM_TDB	
-	11	(((((message with (command and state and	USPAT;	2003/05/03
		definition)) and process\$5 and recogniz\$5	EPO; JPO;	11:10
		and depend\$5 and select\$5) and (before or	DERWENT;	
		prior)) and FORM) and remote) and directive	IBM_TDB	
-	22660	(fill\$5 or creat\$5 or generat\$5 or produc\$5	USPAT;	2003/05/03
		or establish\$5 or program\$5 or customiz\$5)	US-PGPUB;	11:29
		near2 form and (web or online)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	111222	(fill\$5 or creat\$5 or generat\$5 or produc\$5	USPAT;	2003/05/03
		or establish\$5 or program\$5 or customiz\$5)	US-PGPUB;	11:32
		same form and (web or online)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(fill\$5 or creat\$5 or generat\$5 or produc\$5	USPAT;	2003/05/03
		or establish\$5 or program\$5 or customiz\$5)	US-PGPUB;	11:34
		near2 (inventory adj form) and (web or	EPO; JPO;	
		online)	DERWENT;	
		·	IBM_TDB	
-	8	("5760771" "5774123" "5812134"	USPAT	2003/05/03
		"5821937" "5844552" "5864866"		12:32
		"5877744" "5877766").PN.		
.	138	((((message with (command and state and	USPAT;	2003/05/03
		definition)) and process\$5 and recogniz\$5	EPO; JPO;	12:36
		and depend\$5 and select\$5) and (before or	DERWENT;	,
		prior)) and FORM) and remote	IBM_TDB	
-	4	("5708825" "5754772" "5761656"	USPAT	2003/05/03
1	1	"5802518").PN.		12:41

-	2	emweb	USPAT;	2003/05/03
			US-PGPUB;	14:41
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	27	netdynamics	USPAT;	2003/05/03
		-	US-PGPUB;	15:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	("6125352").PN.	USPAT;	2003/05/03
		,	US-PGPUB;	15:08
			EPO; JPO	
_	2	(("6125352") or ("6058373")).PN.	USPAT;	2003/05/03
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	15:08
			EPO; JPO	